

Receiving Report

Date: 11/8/12

Batch No: 2118597

Supplier: ULB Rich

Dart P/O: 14600

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 0101010 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 11/8/12
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

RECEIVED AUG 05 2011
INVOICE

Pg 1 of 1 I026655

SOLD TO:00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

Contact: CHANTAL LAVOIE

SHIP TO:
DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

MTR: Y

INVOICE DATE:	07/25/11
ORDER DATE:	07/22/11
SHIP DATE:	07/25/11
ORDER NUMBER:	W217317
PURCHASE ORDER:	014571

Currency		Sales Person		Ship Via		F.O.B.		Terms	
CANADIAN DOLLARS		SERGE THIBERT		COMMON CARRIER		COLLECT		NET 30 DAYS	
Ln	Back Ordered	Ordered	Unit	Description		Shipped		Price Per	Value
		10	PC	SSH T-304 EXP 16F x 3/4" x 48" L013423 10 PC/180 LB 1 PALETTE, CERT. D'ANALYSE		10 PC		155.35	1,553.50

Phone: (613) 632-5200
Fax: (613) 632-4443

Total Weight: 180 LB

07/25/11 15:39:47

Merchandise:	1,553.50
Surcharges:	
No Tax Costs:	
HST	201.96
Total Due:	1,755.46

Title to the goods sent out on this invoice remains with Diversified Ulbrich until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

G.S.T. # 88911 2199 RT
Q.S.T. # 1019976536 TQ 001

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-DIV001	Diversified Ulbrich								
PO14650	I		M304EX0.75-16F	sf	8/12/2011	8/12/2011	320.0000	\$4.85	0.0000	0	\$1,553.50
CAD	No		Expanded Metal Flat SS	sf	320.0000	DESJ02		\$1,553.50	0.0000	0	
			118597								
Total Received Quantity:											320.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,553.50
Total Balance Due Quantity:											0.0000



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950
SHIP TO:

PACKING LIST

Page: 1

I027115

SOLD TO:
00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS

SHIP TST GROUND COLLECT

Contact: CHANTAL LAVOIE

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443	PO14650

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W217562	NET 30 DAYS	COMMON CARRIER	08/10/11	08/11/11	08/11/11

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10		PC	SSH T-304 EXP 16F x 3/4" x 48" 180 LB / 10 PC DIAMONDS MUST RUN ALONG THE 8' LENGTH ***** 1 PALETTE, CERT. D'ANALYSE	L013428	7RF9	10
			Approx Weight:	180.0 LB	08/10/11	13:51:28

Received by: _____ Date: _____ Signature: _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO14650

Purchase Order Date 8/10/2011
PO Print Date 8/10/2011

Page Number 1 of 1

Order From :

VC-DIV001

DIVERSIFIED ULBRICH
20 HYMUS BLV
POINTE-CLAIRE, QC H9R 1C9
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

514 694 6522

514 694 0266

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
8/10/11

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	8/12/2011 Yes	320.00 sf	TST ground	\$4.8547	\$1,553.50

Special Inst: MATERIAL: AISI 304/316 STAINLESS
STEEL EXPANDED METAL
AS PER ASTM F1267 OR MIL-M-17194D

PC1118/12

PO Total:

\$1,553.50

**MATERIAL CERTIFICATION
REQ'D UPON DELIVERY**

CL

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr:

1

Change Date: 8/10/2011



**NORTH AMERICAN
STAINLESS**

METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 598353 01

Mail To:
NORTH AMERICAN STAINLESS CANADA, INC.

740 IMPERIAL ROAD NORTH
GUELPH, ON N1K1X3
CANADA

Ship To:
NORTH AMERICAN STAINLESS CANADA, INC.

740 IMPERIAL ROAD NORTH
GUELPH, ON N1K1X3
CANADA

Date: 11/04/2010 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/02aH; 140Hood-CR

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UHF 30400/30401
ASTM A240/10, A440/10, A666/10; ASME SA240/10, SA440/10, SA666/10
CHEM ONLY ON FOLLOWING ASTM: A276/10, A479/10, A484/10, A312/07
CHEM ONLY ON FOLLOWING ASME: SA312/10, SA479/10
AMS 5511B/5511B; MIL-S-5059D AND 1/2 CUN BEAR; MIL-B-4043B
NACE MR0175/01, MR0103/07; QQ5746D-A X MAG FERN
MIL. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; QOH763F Cond A; RoHS Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
*Melted & Manufactured in the USA; Mat'l is DPAAS Compliant

D W 02/15

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces
017RF9 A	017RF9 A	.0600	48.0000	15.640	1655.9	25	1

CHEMICAL ANALYSIS

CM(Country of Mfg) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CM	C	CR	CU	MS	MO	N	NI	P	S
72F9	US	.0295	18.2740	.4880	1.4855	.4310	-.0743	8.1340	.0345	.0010
SI										
.3260										

MECHANICAL PROPERTIES

Product ID #	Coil #	1/4" UTS KSI	1/4" YS KSI	ELONG 4-2"	Hard HB	Tail Hard
017RF9 A	017RF9 A	FT	97.09	51.98	45.79	86.50

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.


QC ENGINEER

ERIC HESS

2/28/2011

P200867

SPECIFICATION CONTROL DRAWING



REFERENCE ONLY

B

STYLE	SIZE OF DIAMOND ¹				SIZE OF STRAND				WEIGHT lb/ft ²	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT		
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

¹ A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

RELEASED
R 2010-05-26

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A240)

SPECIFICATION: ASTM F1267 OR MIL-M-17194D

PART NUMBER: M304EX|Y.YY|TT|F
|SIZE|GA|

Y.YY = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG. 3/4"-16F EXPANDED METAL MESH (FLATTENED) = M304EX0.75-16F

B	REFORMAT DWG, ADD MIL/ASTM SPECS (ZN A8-1), ADD TABLE & DETAIL (ZN C6-1), REF NCR 09-090	CP	10.01.11
A	NEW ISSUE	DS	01.07.16
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.01.11		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO.		REV. B	
M304EX		SHEET 1 OF 1	
TITLE		SCALE	
304/316 SS EXPANDED METAL MESH		NTS	
<small>COPYRIGHT © 2001 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>			

M1010B0.500X03.000	7.56	0	49.3	12
M1010B1.000X02.000	3.157894737	0	14.1	6
M1010R0.375	3.157894737	0	8.86	0
M1010S16GA	1.421052632	0	134.3	32
M1010S18GA	3.966315789	0	318.5	32
M174B0.500X02.000	1.954947368	0	51.72	20
M174B1.250X02.000	10.42105263	0	31.392	20
M174B1.500X02.250	3.859368421	0	30.9603	20
M174B2.500X1.250	1.684210526	0	11.347	6
M174PH-H900B3.937X4.750	1.66665	0	17	8
M174PH-H900R1.000	12.76894737	0	32.7	4
M174PH-H900R1.375	2.105263158	0	24.497	4
M174R0.750	21.57473684	0	24.465	20 24bt
M2024T3S.032	56.25442105	0	198.4	64
M2024T3S.040	6.138947368	0	190.918421	64
M2024T3S.050	3.389473684	0	104	64
M2024T3S.063	73.38147368	0	242.38	192
M303B0.750X1.500	0.087332	0	25.42	6
M303H0.500	5.684210526	0	71.13	12
M303R0.375	0.189473684	0	29.511	12
M303R0.625	0.315789474	0	15.2	6
M303R0.750	18.84842105	0	141.77	60
M303R1.000	7.629473684	0	41.739	12
M304B0.250x0.500	26.37368421	0	252.5147	60
M304B0.625X3.000	2.631157895	0	0.55	6 12bt
M304EX0.75-16F	425.8821579	0	690.2433	192 320SF
M304R.250	0.842105263	0	10.042736	12
M304R0.375	7.501052632	0	38.26	40
M304R1.000	1.830526316	0	59.05	12
M304R1.250	1.4492	0	43.14	12
M304R1.500	2	0	11.852	12
M304R0.750	18.42105263	0	74.473	24
M304S14GA	0.169684211	0	48.7	32
M304S18GA	12.69242105	0	228.655	32
M304S20GA	35.39115789	0	275.9072	32
M304S22GA	61.24631579	0	199.36	96
M304S25GA	2.032631579	0	125.5	12
M304TR0.500W.035	111.5255789	0	96.537528	80 120bt
M304TR0.500W.049	0.532631579	0	256.598426	60
M304TR0.750W.049	111.9246579	0	281.84963	160
M304TR0.750W.065	15.08757895	0	131.5	24
M304TR0.750W.120	6.315789474	0	60.00000027	24
M304TR1.000W.049	3.621052632	0	28.133684	24
M304TS0.500W.049	73.99494737	0	1133.0324	200
M304TS0.750W.049	151.4963526	0	459.543949	120
M304TS0.750W.065	560.0893789	0	491.9379906	200 1000bt
M4130NB0.500X03.000	97.18736842	0	47.25	40 18bt

TRANSMISSION VERIFICATION REPORT

TIME : 08/10/2011 10:33
NAME :
FAX :
TEL :
SER.# : F9N212739

DATE, TIME	08/10 10:33
FAX NO./NAME	15146940266
DURATION	00:00:19
PAGE(S)	01
RESULT	OK
MODE	STANDARD
	ECM



Diversified Ulbrich
20 Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950
SHIP TO:

PACKING LIST

Page: 1
REPRINT

I027115

SOLD TO:
00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS

SHIP TST GROUND COLLECT

Contact: CHANTAL LAVOIE

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	613) 632-4443	PO14650

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W217562	NET 30 DAYS	COMMON CARRIER	08/10/11	08/11/11	08/11/11

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10		PC	SSH T-304 EXP 16F x 3/4" x 48" 180 LB / 10 PC DIAMONDS MUST RUN ALONG THE 8' LENGTH ***** 1 PALETTE, CERT. D'ANALYSE	L013423	7RF9	10

Approx Weight: 180.0 LB 08/10/11 13:51:44

Received by: _____ Date: _____ Signature: _____

P200867



METALLURGICAL TEST REPORT

6870 Highway 42 East
Ghent, KY 41045-9615
(502) 347-6000

Certificate: 598353 01
Mail To: NORTH AMERICAN STAINLESS CANADA, INC.
740 IMPERIAL ROAD NORTH
GUELPH, ON N1K2M3
CANADA

Ship To: NORTH AMERICAN STAINLESS CANADA, INC.
740 IMPERIAL ROAD NORTH
GUELPH, ON N1K2M3
CANADA

Date: 11/04/2010 Page: 1
Steel: 304/304L
Finish: 2B
Corrosion: ASTM A262/22aH;180Pass-OK

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30401
ASTM A240/19.A490/19.A666/19; ASME SA240/20.SA480/20.SA466/20
CHEM ONLY ON FOLLOWING ASTM: A276/19.A479/19.A404/19.A312/07
CHEM ONLY ON FOLLOWING ASME: SA312/19.SA479/19
AMS 5511W/5511J XHRK; MIL-S-5059D AND3(X CHEM REAR); MIL-S-4043B
NACE MR0175/01, MR0103/07; Q99746D-A X NAS FERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; Q99763F Cond A; RoHS Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg. by a Quality Mgt. Sys. in Cont. w/ISO 9001
*Melted & Manufactured in the USA; Mat'l is DVARs Compliant

Product ID #	Coil #	Thickness	Width	Weight	Length	Mark	Pieces
017RF9 A	017RF9 A	.0600	48.0000	15,640	COIL	1655.9	25

CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CM	C	CR	CU	MB	MO	N	NI	P	S
72F9	DB	.0295	18.2740	.4880	1.6855	.4310	.0749	8.1340	.0345	.0010
SI										
.3260										

MECHANICAL PROPERTIES

Product ID #	Coil #	UTS KSI	.2% YS KSI	ELONG % 2"	Hard HB	Tail Hard
017RF9 A	017RF9 A	P T 97.03	51.98	45.79	16.50	96.00

NAS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

QC ENGINEER

ERIC HESS

2/28/2011

TST Overland Express
Express LINK

P.O. Box 3630, Station A, Mississauga, Ontario L5A 3S3
G.S.T.# 144612488
Overland Western International Inc.(OVEA)
3091 Rockefeller Avenue, Cleveland, Ohio 44115-3611

Carrier Code
Code du Transp.
2153



750-9642964 4

Division of TST Solutions L.P.
Une division de TST Solutions L.P.
DU/S No. 242146401 (OVL0)

P/U Trailer - Unite Cuell

L/H Trailer - Unite Route

Manifest From - Manifest de Consignee - Consignataire		To - À	W217562	NS	8	11	11
B/L of Lading No. - N° de Connaissance		Purchase Order No. - N° de Commande		M	D	J	Y - A
DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		Shipper - Expéditeur DIVERSIFIED ULBRICH 20 HYMUS POINTE CLAIRE, PQ H9R 1C9		Origin MTL	Dest. MTL	C.D. 4	
				Declared Value - Valeur déclarée			
				Type - Genre STD	%Tol. - %Tol.	Page 0	01

Bill To - Facturer à

Origin Carrier - Premier Transporteur

O/C Pro No. - N° Fature P/T

M D J

Beyond Carrier - Transporteur subs.

S.R.

Amount - Montant

Pieces - Coils	H.M.	Description	Weight - Poids	Rate - Taux	Charges - Frais
1		SKD NO DESCRIPTION FUEL SURCHARGE Printed on 08/12/2011 @ 06:40 ** COLLECT **	180		COLLECT COLLECT

Total Pieces Coils total	1	GST# 144612488	Total Weight Poids total	180	Total Charges Frais totaux	COLLECT
-----------------------------	---	----------------	-----------------------------	-----	-------------------------------	---------

E & OE	Print Last Name	A TransForce Company	Connecting Carrier Please - Protect this Amount	Any loss or damage must be noted on pro bill at time of delivery, otherwise consignee's signature will constitute clear receipt. Toutes pertes du dommages doivent être notés sur le connaissement au moment de la livraison, autrement la signature du consignataire constituera un reçu final.	C.O.D. Total P.S.L.	Cash or Certified Cheque Only - Driver Collect This Amount
			S/W INTACT <input type="checkbox"/> YES <input type="checkbox"/> NO			Cheque visé ou argent comptant seulement - à percevoir par le chauffeur

X
Received in Apparent Good Order - Reçu sans Avoir Apparente

Date 12 Aug 11 Time In Time Out Unit - Unité

Driver - Chauffeur

Signature Copy - Copie de Signature